



NEUHEITEN 2016

Camping light “ELBA” with 4x 3W COB LED

Item no. 10400

- Sturdy camping light with 4x 3W COB LED
- Made of robust ABS plastic
- Luminous flux: 400 lumens (with 100% brightness)
210 lumens (with 50% brightness)
- Three switch modes: 50% brightness – 100% brightness – flashlight – OFF
- Lighting time: approx. 6 hrs. with 100% brightness
approx. 10 hrs. with 50% brightness
- Opal glass for glare-free light distribution
- Removable lamp head to extend light field
- Flashing green LED indicator to locate the torch easily in the dark
- With metal carrying handle and tiltable suspension hook at the bottom
- IP protection class: IP 54
- For 3x mono/D/LR20 batteries
- Colour: green/black
- Dimensions: 180 x 87 x 87 mm
- Weight: 419 g (without batteries)
- Packaging: box (PU: 6/12)



Camping light “KORSIKA” with 3x 5W COB LED

Item no. 10401

- Sturdy camping light with 3x 5W COB LED
- Made of robust ABS plastic
- Luminous flux: 620 lumens (with 100% brightness)
320 lumens (with 50% brightness)
- 4 switch modes: 100% – OFF – 75% – OFF – 50% – OFF – 25% – OFF
- Lighting time: approx. 7-8 hrs. with 100% brightness
approx. 9-10 hrs. with 75% brightness
approx. 15-16 hrs. with 50% brightness
approx. 30-32 hrs. with 25% brightness
- With metal carrying handle and tiltable suspension hook at the bottom
- IP protection class: IP 54
- For 4x mono/D/LR20 batteries
- Colour: green/black
- Dimensions: 250 x 125 x 137 mm
- Weight: 700 g (without batteries)
- Packaging: box (PU: 3/6)



Extendable Rechargeable Light 3in1: Pocket / table and work lamp AL 8101 SMD

Item no. 05086

- Compact all-purpose light with 12 powerful SMD LEDs and 6+1 LED in the lamp head
- Made of ABS plastic
- 3 lighting modes:
 - in the lamp head (pressure switch ON/OFF): **1 LED (40 lm) – 6 LEDs (25 lm) – OFF**
 - **12 SMD LEDs (170 lumens)** when extending the lamp head
- Rechargeable Li-Ion battery 3.7V – 1000mAh
- Rechargeable via 230V AC main power plug or 12V DC vehicle charging adapter (included)
- Charging time: approx. 2-3 hrs.
- Lighting time: approx. 3 hrs. with 12 SMD LEDs
approx. 5 hrs. with 6 LEDs
approx. 6 hrs. with 1 LED
- Practical magnet and swing-out suspension hook integrated in the lamp bottom
- Weight: 310 g
- Dimensions: 237 (extendable to 340 mm) x 75 x 63 mm
- Packaging: blister (PU: 6/12)



Rechargeable COB LED Work Light AM 2001C with handy base station

Item no. 05085

- 1x 2watt COB LED + 1x 1watt Epistar LED in the lamp head
- Luminous flux: 200 lumens (with 2W COB LED)
70 lumens (with EPISTAR LED)
- 3 lighting modes: 100% and 50% COB LED – Epistar LED – OFF
- Made of robust ABS plastic, rubber covered surface
- Rechargeable Li-Ion battery 3.7V – 2000mAh
- Rechargeable via USB charging adapter, power supply unit (AD/DC 5V, 500mA) or via 12V DC vehicle charging adapter (included)
- Charging time: approx. 5-6 hours
- Lighting range: up to 4 m
- Lighting time: up to 3.5 hours with 1x 2W COB LED at 100% brightness
up to 3 hours with 1x 1W Epistar LED
- Convenient magnets, clip and tiltable suspension hook on the back
- Weight: 177 g
- Dimensions: 51 x 210 x 40 mm (WxHxD)
- Packaging: blister (PU: 6/24/48)



Rechargeable LED Light AM 6649A

Item no. 05410

- Powerful light with 7 SMD* LED (1.5 W) and 1x 8mm LED (1 W) in the base of the lamp
(SMD = surface mounted device)
- Luminous flux: 80 lumens (with 1W 8mm LED)
100 lumens (with 7 SMD LED)
- Rugged housing made of ABS plastic, shockproof
- Soft-touch surface
- Two switch modes: 1W LED – 7x 1,5W SMD – OFF
- Lighting time: up to 3.5 hrs. with SMD and up to 4 hrs. with 1W LED
- Lighting range: up to 15 m
- Rechargeable Li-ion battery 3.7V – 800mAh
- Rechargeable via USB adapter cable (incl.)
- Charging time: 3 – 4 hours
- With battery charge indicator (**LED red** = battery is being charged; **LED green** = fully charged)
- Practical clip with magnet
- IP protection class: IP 20
- Weight: 53 g
- Dimensions: 170 x Ø 25 mm
- Colour: grey
- Packaging: blister (PU: 24/48)



Mini work and leisure lamp AM 7721 with SOS function Item no. 00122 (display)

- Multifunctional LED lamp with 1.5W COB and 1.8W SMD additional on the upper housing border (white LED + red LED for SOS function)
- Material: ABS plastic

| | Luminous flux | Lighting range | Lighting time |
|----------------------|---|----------------|---|
| 1,5 W COB LED | 200 lumens at 100% brightness 110 lumens at 50% brightness | up to 5 m | approx. 2 hrs. at 100% approx. 4 hrs. at 50% |
| 1,8 W SMD LED | 100 lumens | up to 3 m | approx. 2,5 hrs. |

- 2 push switches (on the left for SMD LED and on the right for COB LED):
Left push switch: ON/OFF (1,8W white SMD LED)
ON (pressing 2 sec.) – flash/SOS (red LED) – OFF
Right push switch: 100% – 50% (1,5W COB LED) – OFF
- Adjustable stand with magnet
- IP protection class: IP20
- For 3 x AAA /micro/LR03 batteries (inclusive)
- Weight: 95g with batteries
- Dimensions: 122 x 56 x 21 mm
- Colour: black/red and blue/black
- Packaging: display á 12 pcs.



Cordless COB LED Rechargeable Floodlight 10W / 20 W

With replaceable battery and USB port

Technical features:

| Type: | Rechargeable floodlight 10 Watt (item no. 09100) | Rechargeable floodlight 20 Watt (item no. 09200) |
|---------------------------|---|---|
| LED: | Epistar | Epistar |
| Light colour: | cold white 6000K | cold white 6000K |
| Luminous flux: | > 700 lumens | > 1200 lumens |
| Beam angle: | up to 120° | up to 120° |
| Replaceable battery: | Li-Ion 7.4V – 4.4Ah | Li-Ion 11.1V – 4.4Ah |
| Charging time: | 5 hours | |
| Battery charge indicator: | Yes (LED red= charging / LED green= fully charged) | |
| Lighting time: | approx. 3 hours | |
| Material: | Aluminium die casting / ABS plastic | |
| IP protection class: | IP 44 | |
| Extras inclusive: | adjustable brightness (2 levels), 1x USB-Anschluß | |
| Measures (LxWxH): | 145 x 185 x 230 mm | 210 x 200 x 285 mm |
| Weight: | 1020 g (incl. battery) | 1692 g (incl. battery) |
| Accessory: | 1x Li-Ion spare battery | 1x Li-Ion spare battery |



Scope of delivery:

1x rechargeable floodlight, 1x stand with fixing screw, 1x spare battery, 1x 100-240V AC mains plug and 1x 12V DC vehicle charger adaptor.



Rechargeable Work Light 60 LED

Item no. 05120

- Practical lamp for workshop
- Powerful light with 60 LED, Ø 5 mm
- Luminous flux: 120 lumens
- Lighting duration: 3 – 4 hours
- Integrated rechargeable Li-ion battery 3.7V – 1800mAh
- Rechargeable via 230V AC mains plug or 12V DC vehicle charger adaptor (included)
- Charging time: 4 – 5 hours
- Battery charge indicator
- With overloading and overdischarge protection
- Housing made of ABS, tube of PVC
- Splash-proof
- Removable magnetic clamp
- Hanging hook, rotatable by 360°
- Weight: 210 g
- Measures: 415 x 55 mm
- Packaging : blister (PU : 6/12)

Li-Ion



Rechargeable Work Light „OPERATOR“

Item no. 09040

- With 2 Watt COB LED
- Luminous flux: 120 lumens
- 2 switch-modes: 100% - 50% brightness - OFF
- Soft-touch surface of robust ABS plastic
- Flexible lamp head, up to 180° swivelling
- Integrated rechargeable Li-ion battery 3.7V – 1400mAh
- Rechargeable via 230V AC mains plug (inclusive)
- Charging time: approx. 3 hrs.
- With charging state indicator
- Lighting range: approx. 5 m
- Lighting time: about 2 hrs. (at 100% full charge)
- Practical magnet on the back side and fold-out suspension hook
- Weight: 130 g
- Measures: 110 x 55 x 28 mm (LxWxH)
- Packaging: Design-Box (PU: 20/1)



Rechargeable and focusable LED Flashlight with Power Bank function Z4

Item no. 02950

- With CREE XPG R5 LED, 350 lumens
- Rugged aluminium housing
- Zoom function by moving the hexagonal ring on the lamp neck to the top
- Three switching modes: 100% – OFF – 30% – OFF – strobe – OFF
- Lighting time: 3 hrs. at 100% brightness
10 hrs. at 30% brightness
- Lighting range: up to 300 m
- Rechargeable lithium-ion battery 18650 3.7V 2200mAh
- Rechargeable by USB cable, AC main plug or by 12V DC car charger adapter (included in delivery)
- Charging time: approx. 5 hrs.
- Power Bank function: the fitted battery allows to charge mobile devices via USB cable
- Splash-proof
- With wrist strap
- Weight: 235 g
- Size: 184 x 38 Ø mm
- Packaging: Gift Box (PU: 6/36)





Find our General Terms and Conditions in our main catalogue and at www.ampercell.com

AMPERCELL GMBH
Frankfurter Landstraße 68
61440 Oberursel/ Germany
Telefon: +49 (0) 6171 – 7041-0
Telefax: +49 (0) 6171 – 7041-70
info@ampercell.com
www.ampercell.com